



CERTIFICATE OF COMPLIANCE
REACH Registration, Notification & Communication Declaration
TAJ Series
Standard and Low-Profile Tantalum Capacitors

Supplier Name: KYOCERA AVX Corporation
Address: C. Cojutepeque 4-2, San Bartolo, Ilopango, El Salvador

REACH Registration

This document certifies that the commercial products as stated below and supplied by KYOCERA AVX Components Corporation are “articles” per definition of EC Regulation 1907/2006, Title II, Chapter 1, Articles 7.1(a) & (b). Furthermore, § 7.1(b) of the regulation requires registration of an article when it contains a regulated substance that is “is intended to be released under normal or reasonably foreseeable conditions of use”. KYOCERA AVX Components Corporation’s analysis is that such products constitute non-registrable articles for their intended and anticipated use.

REACH Notification and Communication

Substances of very high concern (SVHC) require notification under EC Regulation 1907/2006, Title II, Chapter 1, Articles 7.2(a) & 7(b). In addition, under Title IV, Article 33, communication of regulated substance(s) is required. The below listed article(s) contain Lead (CAS# 7439-92-1) at weight concentrations below 0.1% and do not require communication:

TAJ Standard

- TAJ(A,B,C,D,E,U,V)*****H*
- TAJ(A,B,C,D,E,U,V)*****H**
- TAJ(A,B,C,D,E,U,V)*****H**V

- TAJ(A,B,C,D,E,U,V)*****K*
- TAJ(A,B,C,D,E,U,V)*****K**
- TAJ(A,B,C,D,E,U,V)*****K**V

Please consult datasheet for available case sizes, corresponding voltages, capacitance ranges, capacitance tolerances, and packaging options.

TAJ Low Profile

- TAJ(F,H,W,X,Y)*****H**
- TAJ(F,H,W,X,Y)*****H**V
- TAJ(F,H,W,X,Y)*****K**
- TAJ(F,H,W,X,Y)*****K**V

Please consult datasheet for available case sizes, corresponding voltages, capacitance ranges, capacitance tolerances, and packaging options.

REACH Notification and Communication

Pursuant to EC Regulation 1907/2006, Title IV, Article 33, the below listed article(s) contain Lead (CAS# 7439-92-1) at weight concentrations of 0.1% (w/w) and above:

TAJ Low Profile	Part Weight (mg)	SVHC	w/w % of Part
TAJ(K,P,R,S,T)*****H	2.5 – 7.5	Lead (CAS# 7439-92-1)	0.10 – 0.15%
TAJ(K,P,R,S,T)*****H**	2.5 – 7.5	Lead (CAS# 7439-92-1)	0.10 – 0.15%

Please consult datasheet for available case sizes, corresponding voltages, capacitance ranges, capacitance tolerances, and packaging options.

In preparation of this certificate, the following SVHC candidate lists (release dates below) have been reviewed.

9 Oct 2008, 13 Jan 2010, 30 Mar 2010, 18 Jun 2010, 15 Dec 2010, 20 Jun 2011, 19 Dec 2011, 18 Jun 2012, 19 Dec 2012, 20 Jun 2013, 16 Dec 2013, 18 Jun 2014, 17 Dec 2014, 15 Jun 2015, 17 Dec 2015, 20 Jun 2016, 12 Jan 2017, 7 Jul 2017, 15 Jan 2018, 27 Jun 2018, 16 Jan 2019, 16 Jul 2019, 16 Jan 2020, 25 Jun 2020, 19 Jan 2021, 8 Jul 2021, 17 Jan 2022, 10 Jun 2022, 17 Jan 2023, 14 Jun 2023, 23 Jan 2024, 27 Jun 2024, 7 Nov 2024, 21 Jan 2025, 25 Jun 2025, 5 Nov 2025

The above statements, and those made in any material composition data, are valid and accurate to the best of our knowledge.

Date: November 10, 2025
Name: Mario Núñez
Title: Tantalum Senior Engineer
e-mail: Mario.nunez@kyocera-avx.com